ELSEVIER

Brain Research 672 (1995) 298–299

BRAIN RESEARCH

Author Index

Akiguchi, I., see Tomimoto, H. (672) 187
Antel, J.P., see Prabhakar, S. (672) 159

Barrantes, G.E., Rogers, A.T., Lindstrom, J. and Wonnacott, S.
α-Bungarotoxin binding sites in rat hippocampal and cortical cultures: initial characterisation, colocalisation with α7 subunits and up-regulation by chronic nicotine treatment (672) 228
Barro, M., Ruiz, F. and Hurlé, M.A.
κ-Opioid receptor mediated antinociception in rats is dependent on the functional state of dihydropyridine-sensitive calcium channels (672) 148
Bartholdi, D. and Schwab, M.E.
Methylprednisolone inhibits early inflammatory processes but not ischemic cell death after experimental spinal cord lesion in the rat (672) 177
Berkovic, S.F., see Gundlach, A.L. (672) 214
Bhagwat, S.V., see Bhamre, S. (672) 276
Bhamre, S., Bhagwat, S.V., Shankar, S.K., Boyd, M.R. and Ravindranath, V.
Flavin-containing monooxygenase mediated metabolism of psychoactive drugs by human brain microsomes (672) 276
Bicknell, R.J., see Condé, G.L. (672) 68
Boudaba, C., Tasker, J.G. and Poulain, D.A.
Connections from the subfornical organ to the oxytocin and vasopressin systems in the lactating rat. A study using electrical stimulations, lesions and electrophysiological recordings (672) 1
Boyd, M.R., see Bhamre, S. (672) 276
Brachet, P., see Jehan, F. (672) 128
Brooke, J.D., see Cheng, J. (672) 89
Burazin, T.C.D., see Gundlach, A.L. (672) 214
Burton, M.B. and Gebhart, G.F.
Effects of intracolonic acetic acid on responses to colorectal distension in the rat (672) 77

Cano, J., see Venero, J.L. (672) 153
Cheng, J., Brooke, J.D., Misiaszek, J.E. and Staines, W.R.
The relationship between the kinematics of passive movement, the stretch of extensor muscles of the leg and the change induced in the gain of the soleus H reflex in humans (672) 89
Clark, V.J., see Fordyce, D.E. (672) 170
Condé, G.L., Bicknell, R.J. and Herbison, A.E.
Changing patterns of Fos expression in brainstem catecholaminergic neurons during the rat oestrous cycle (672) 68
Crutcher, K.A., see Yu, C. (672) 55

Donatini, A., see Romualdi, P. (672) 42
D'Souza, S., see Prabhakar, S. (672) 159

Ewing, J.F. and Maines, M.D.
Immunohistochemical localization of biliverdin reductase in rat brain: age related expression of protein and transcript (672) 29

Fernstrom, J.D., see Fernstrom, M.H. (672) 97
Fernstrom, M.H. and Fernstrom, J.D.
Effect of chronic protein ingestion on rat central nervous system tyrosine levels and in vivo tyrosine hydroxylation rate (672) 97
Ferri, S., see Romualdi, P. (672) 42
Fordyce, D.E., Clark, V.J., Paylor, R. and Wehner, J.M.
Enhancement of hippocampally-mediated learning and protein kinase C activity by oxiracetam in learning-impaired DBA/2 mice (672) 170

Gash, D.M., see Kearns, C.M. (672) 104
Gebhart, G.F., see Burton, M.B. (672) 77
Ghosh, R. and Sladek, C.D.
Prolactin modulates oxytocin mRNA during lactation by its action on the hypothalamo-neurohypophyseal axis (672) 24
Gundlach, A.L., Burazin, T.C.D., Jenkins, T.A. and Berkovic, S.F.
Spatiotemporal alterations of central α_1-adrenergic receptor binding sites following amygdaloid kindling seizures in the rat: autoradiographic studies using [^{3}H]prazosin (672) 214

Hawks, T., see Schneider, J.S. (672) 112
Herbison, A.E., see Condé, G.L. (672) 68
Hoffman, J.M., see Schneider, J.S. (672) 112
Hofman, M.A., see Zhou, J.-N. (672) 285
Hurlé, M.A., see Barro, M. (672) 148

Hyson, R.L. and Rubel, E.W.
Activity-dependent regulation of a ribosomal RNA epitope in the chick cochlear nucleus (672) 196

Ingram, C.D., see Terenzi, M.G. (672) 289

Jehan, F., Neveu, I., Naveilhan, P., Wion, D. and Brachet, P.
Interactions between second messenger pathways influence NGF synthesis in mouse primary astrocytes (672) 128
Jenkins, T.A., see Gundlach, A.L. (672) 214

Kearns, C.M. and Gash, D.M.
GDNF protects nigral dopamine neurons against 6-hydroxydopamine in vivo (672) 104
Kerchner, M., Malsbury, C.W., Ward, O.B. and Ward, I.L.
Sexually dimorphic areas in the rat medial amygdala: resistance to the demasculinizing effect of prenatal stress (672) 251
Kimura, J., see Tomimoto, H. (672) 187
Kleschevnikov, A.M., see Sokolov, M.V. (672) 281
Kratz, K.E., see Rieck, R.W. (672) 237
Kreeger, J.S., Yukhananov, R.Yu. and Larson, A.A.
Altered *N*-methyl-D-aspartate (NMDA) activity in the mouse spinal cord following morphine is mediated by sigma activity (672) 83

Larson, A.A., see Kreeger, J.S. (672) 83
Lesa, G., see Romualdi, P. (672) 42
Lidsky, T.I., see Schneider, J.S. (672) 112
Lindstrom, J., see Barrantes, G.E. (672) 228

Machado, A., see Venero, J.L. (672) 153
Maines, M.D., see Ewing, J.F. (672) 29
Malsbury, C.W., see Kerchner, M. (672) 251
Mazziotta, J.C., see Schneider, J.S. (672) 112
McLaurin, J.A., see Prabhakar, S. (672) 159
Misiaszek, J.E., see Cheng, J. (672) 89
Moos, T.
Age-dependent uptake and retrograde axonal transport of exogenous albumin and transferrin in rat motor neurons (672) 14

ELSEVIER

Brain Research 672 (1995) 298–299

BRAIN RESEARCH

Author Index

Akiguchi, I., see Tomimoto, H. (672) 187
Antel, J.P., see Prabhakar, S. (672) 159

Barrantes, G.E., Rogers, A.T., Lindstrom, J. and Wonnacott, S.
α-Bungarotoxin binding sites in rat hippocampal and cortical cultures: initial characterisation, colocalisation with α7 subunits and up-regulation by chronic nicotine treatment (672) 228
Barro, M., Ruiz, F. and Hurlé, M.A.
κ-Opioid receptor mediated antinociception in rats is dependent on the functional state of dihydropyridine-sensitive calcium channels (672) 148
Bartholdi, D. and Schwab, M.E.
Methylprednisolone inhibits early inflammatory processes but not ischemic cell death after experimental spinal cord lesion in the rat (672) 177
Berkovic, S.F., see Gundlach, A.L. (672) 214
Bhagwat, S.V., see Bhamre, S. (672) 276
Bhamre, S., Bhagwat, S.V., Shankar, S.K., Boyd, M.R. and Ravindranath, V.
Flavin-containing monooxygenase mediated metabolism of psychoactive drugs by human brain microsomes (672) 276
Bicknell, R.J., see Condé, G.L. (672) 68
Boudaba, C., Tasker, J.G. and Poulain, D.A.
Connections from the subfornical organ to the oxytocin and vasopressin systems in the lactating rat. A study using electrical stimulations, lesions and electrophysiological recordings (672) 1
Boyd, M.R., see Bhamre, S. (672) 276
Brachet, P., see Jehan, F. (672) 128
Brooke, J.D., see Cheng, J. (672) 89
Burazin, T.C.D., see Gundlach, A.L. (672) 214
Burton, M.B. and Gebhart, G.F.
Effects of intracolonic acetic acid on responses to colorectal distension in the rat (672) 77

Cano, J., see Venero, J.L. (672) 153
Cheng, J., Brooke, J.D., Misiaszek, J.E. and Staines, W.R.
The relationship between the kinematics of passive movement, the stretch of extensor muscles of the leg and the change induced in the gain of the soleus H reflex in humans (672) 89
Clark, V.J., see Fordyce, D.E. (672) 170
Condé, G.L., Bicknell, R.J. and Herbison, A.E.
Changing patterns of Fos expression in brainstem catecholaminergic neurons during the rat oestrous cycle (672) 68
Crutcher, K.A., see Yu, C. (672) 55

Donatini, A., see Romualdi, P. (672) 42
D'Souza, S., see Prabhakar, S. (672) 159

Ewing, J.F. and Maines, M.D.
Immunohistochemical localization of biliverdin reductase in rat brain: age related expression of protein and transcript (672) 29

Fernstrom, J.D., see Fernstrom, M.H. (672) 97
Fernstrom, M.H. and Fernstrom, J.D.
Effect of chronic protein ingestion on rat central nervous system tyrosine levels and in vivo tyrosine hydroxylation rate (672) 97
Ferri, S., see Romualdi, P. (672) 42
Fordyce, D.E., Clark, V.J., Paylor, R. and Wehner, J.M.
Enhancement of hippocampally-mediated learning and protein kinase C activity by oxiracetam in learning-impaired DBA/2 mice (672) 170

Gash, D.M., see Kearns, C.M. (672) 104
Gebhart, G.F., see Burton, M.B. (672) 77
Ghosh, R. and Sladek, C.D.
Prolactin modulates oxytocin mRNA during lactation by its action on the hypothalamo-neurohypophyseal axis (672) 24
Gundlach, A.L., Burazin, T.C.D., Jenkins, T.A. and Berkovic, S.F.
Spatiotemporal alterations of central α_1-adrenergic receptor binding sites following amygdaloid kindling seizures in the rat: autoradiographic studies using [^{3}H]prazosin (672) 214

Hawks, T., see Schneider, J.S. (672) 112
Herbison, A.E., see Condé, G.L. (672) 68
Hoffman, J.M., see Schneider, J.S. (672) 112
Hofman, M.A., see Zhou, J.-N. (672) 285
Hurlé, M.A., see Barro, M. (672) 148

Hyson, R.L. and Rubel, E.W.
Activity-dependent regulation of a ribosomal RNA epitope in the chick cochlear nucleus (672) 196

Ingram, C.D., see Terenzi, M.G. (672) 289

Jehan, F., Neveu, I., Naveilhan, P., Wion, D. and Brachet, P.
Interactions between second messenger pathways influence NGF synthesis in mouse primary astrocytes (672) 128
Jenkins, T.A., see Gundlach, A.L. (672) 214

Kearns, C.M. and Gash, D.M.
GDNF protects nigral dopamine neurons against 6-hydroxydopamine in vivo (672) 104
Kerchner, M., Malsbury, C.W., Ward, O.B. and Ward, I.L.
Sexually dimorphic areas in the rat medial amygdala: resistance to the demasculinizing effect of prenatal stress (672) 251
Kimura, J., see Tomimoto, H. (672) 187
Kleschevnikov, A.M., see Sokolov, M.V. (672) 281
Kratz, K.E., see Rieck, R.W. (672) 237
Kreeger, J.S., Yukhananov, R.Yu. and Larson, A.A.
Altered *N*-methyl-D-aspartate (NMDA) activity in the mouse spinal cord following morphine is mediated by sigma activity (672) 83

Larson, A.A., see Kreeger, J.S. (672) 83
Lesa, G., see Romualdi, P. (672) 42
Lidsky, T.I., see Schneider, J.S. (672) 112
Lindstrom, J., see Barrantes, G.E. (672) 228

Machado, A., see Venero, J.L. (672) 153
Maines, M.D., see Ewing, J.F. (672) 29
Malsbury, C.W., see Kerchner, M. (672) 251
Mazziotta, J.C., see Schneider, J.S. (672) 112
McLaurin, J.A., see Prabhakar, S. (672) 159
Misiaszek, J.E., see Cheng, J. (672) 89
Moos, T.
Age-dependent uptake and retrograde axonal transport of exogenous albumin and transferrin in rat motor neurons (672) 14

Nabors, C.C., see Rieck, R.W. (672) 237
Nakamura, S., see Tomimoto, H. (672) 187
Naveilhan, P., see Jehan, F. (672) 128
Neveu, I., see Jehan, F. (672) 128
Nitschke Dragon, D., see Talman, W.T. (672) 48

Paylor, R., see Fordyce, D.E. (672) 170
Pickel, V.M., see Sesack, S.R. (672) 261
Poulain, D.A., see Boudaba, C. (672) 1
Prabhakar, S., D'Souza, S., Antel, J.P., McLaurin, J.A., Schipper, H.M. and Wang, E.
Phenotypic and cell cycle properties of human oligodendrocytes in vitro (672) 159

Ravindranath, V., see Bhamre, S. (672) 276
Revuelta, M., see Venero, J.L. (672) 153
Rieck, R.W., Nabors, C.C., Updyke, B.V. and Kratz, K.E.
Organization of the basal forebrain in the cat: localization of L-enkephalin, substance P, and choline acetyltransferase immunoreactivity (672) 237
Rogers, A.T., see Barrantes, G.E. (672) 228
Romero-Ramos, M., see Venero, J.L. (672) 153
Romualdi, P., Lesa, G., Donatini, A. and Ferri, S.
Long-term exposure to opioid antagonists up-regulates prodynorphin gene expression in rat brain (672) 42
Rubel, E.W., see Hyson, R.L. (672) 196
Ruiz, F., see Barro, M. (672) 148

Sainsbury, R.S., see Teskey, G.C. (672) 137
Schipper, H.M., see Prabhakar, S. (672) 159
Schneider, J.S., Lidsky, T.I., Hawks, T., Mazziotta, J.C. and Hoffman, J.M.
Differential recovery of volitional motor function, lateralized cognitive function, dopamine agonist-induced rotation and dopaminergic parameters in monkeys made hemi-parkinsonian by intracarotid MPTP infusion (672) 112
Schwab, M.E., see Bartholdi, D. (672) 177
Sesack, S.R. and Pickel, V.M.
Ultrastructural relationships between terminals immunoreactive for enkephalin, GABA, or both transmitters in the rat ventral tegmental area (672) 261
Shankar, S.K., see Bhamre, S. (672) 276
Sladek, C.D., see Ghosh, R. (672) 24
Smith, R.S. and Snyder, R.E.
Anterograde to retrograde reversal of fast axonal transport within cold blocked and rewarmed intact axons (672) 205
Snyder, R.E., see Smith, R.S. (672) 205
Sokolov, M.V. and Kleschevnikov, A.M.
Atropine suppresses associative LTP in the CA1 region of rat hippocampal slices (672) 281
Staines, W.R., see Cheng, J. (672) 89
Swaab, D.F., see Zhou, J.-N. (672) 285

Talman, W.T. and Nitschke Dragon, D.
Inhibition of nitric oxide synthesis extends cerebrovascular autoregulation during hypertension (672) 48
Tasker, J.G., see Boudaba, C. (672) 1
Terenzi, M.G. and Ingram, C.D.
A combined immunocytochemical and retrograde tracing study of noradrenergic connections between the caudal medulla and bed nuclei of the stria terminalis (672) 289
Teskey, G.C., Valentine, P.A., Sainsbury, R.S. and Trepel, C.
Evolution of afterdischarge and seizure characteristics during electrical kindling of the guinea-pig (672) 137
Tomimoto, H., Akiguchi, I., Wakita, H., Nakamura, S. and Kimura, J.
Ultrastructural localization of amyloid protein precursor in the normal and postischemic gerbil brain (672) 187
Trepel, C., see Teskey, G.C. (672) 137

Updyke, B.V., see Rieck, R.W. (672) 237

Valentine, P.A., see Teskey, G.C. (672) 137
Venero, J.L., Romero-Ramos, M., Revuelta, M., Machado, A. and Cano, J.
Intrastriatal quinolinic acid injections protect against 6-hydroxydopamine-induced lesions of the dopaminergic nigrostriatal system (672) 153

Wakita, H., see Tomimoto, H. (672) 187
Wang, E., see Prabhakar, S. (672) 159
Ward, I.L., see Kerchner, M. (672) 251
Ward, O.B., see Kerchner, M. (672) 251
Wehner, J.M., see Fordyce, D.E. (672) 170
Wion, D., see Jehan, F. (672) 128
Wonnacott, S., see Barrantes, G.E. (672) 228

Yu, C. and Crutcher, K.A.
Nerve growth factor immunoreactivity and sympathetic sprouting in the rat hippocampal formation (672) 55
Yukhananov, R.Yu., see Kreeger, J.S. (672) 83

Zhou, J.-N., Hofman, M.A. and Swaab, D.F.
No changes in the number of vasoactive intestinal polypeptide (VIP)-expressing neurons in the suprachiasmatic nucleus of homosexual men; comparison with vasopressin-expressing neurons (672) 285